

To: Garland, Jay[Garland.Jay@epa.gov]
From: Sayles, Gregory
Sent: Wed 11/22/2017 1:53:42 AM
Subject: Re: WaterGen T&E Questions

Yes. Till about 3.

Greg
Gregory Sayles, PhD
National Homeland Security Research Center
U.S. Environmental Protection Agency
Desk 513-569-7607
Mobile 513-305-9984

On Nov 21, 2017, at 8:47 PM, Garland, Jay <Garland.Jay@epa.gov> wrote:

Are you in tomorrow to discuss?

Sent from my iPhone

Begin forwarded message:

From: "Weber, Josh" <Weber.Josh@epa.gov>
Date: November 21, 2017 at 5:17:57 PM EST
To: "Garland, Jay" <Garland.Jay@epa.gov>
Cc: "Goodrich, James" <Goodrich.James@epa.gov>, "Corn, Ruth" <Corn.Ruth@epa.gov>
Subject: RE: WaterGen T&E Questions

Jay,

Can you provide some insight into what you are trying to accomplish with WaterGen and whether or not support is expected from the APTIM contract staff at T&E? Jim mentioned a CRADA you have with WaterGen and analysis of the generated water but that is all I know.

Josh Weber

Facility Manager

Environmental Compliance Officer

US EPA National Risk Management Research Laboratory

26 W. Martin Luther King Drive

Cincinnati OH 45268

513.569.7845

From: Garland, Jay

Sent: Tuesday, November 21, 2017 5:00 PM

To: Schupp, Don <Don.Schupp@epa.gov> **Ex. 4 - CBI**

Cc: Goodrich, James <Goodrich.James@epa.gov>; Weber, Josh
<Weber.Josh@epa.gov>; radha.krishnan@epa.gov **Ex. 4 - CBI** Meiners, Greg
<Greg.Meiners@epa.gov> **Ex. 4 - CBI**

Subject: RE: WaterGen T&E Questions

A question from watergen.

Ex. 4 - CBI

We like to know the connector type and how long the cabal should be.

Can you provide a response?

From: Schupp, Don [mailto:Don.Schupp@epa.gov] **Ex. 4 - CBI**

Sent: Tuesday, November 21, 2017 12:56 PM

To: Garland, Jay <Garland.Jay@epa.gov>

Cc: Goodrich, James <Goodrich.James@epa.gov>; Weber, Josh
<Weber.Josh@epa.gov>; radha.krishnan [Ex. 4 - CBI]
<Greg.Meiners [Ex. 4 - CBI] Meiners, Greg
Subject: RE: WaterGen T&E Questions

Jay,

I spoke with our electrician (Gary Lubbers). He said that we have sufficient power at the T&E Facility to power the WaterGen unit. [Ex. 4 - CBI]

Ex. 4 - CBI

Also, as we discussed, [Ex. 4 - CBI]

Ex. 4 - CBI

Please let us know if you have any questions, and we look forward to seeing the unit at T&E.

Don

<image001.jpg>

Don Schupp, P.E.

Engineer 4

Ex. 4 - CBI

APTIM

Ex. 4 - CBI

From: Krishnan, Radha
Sent: Tuesday, November 21, 2017 10:51 AM
To: Meiners, Greg <Greg.Meiners@epa.gov> **Ex. 4 - CBI**; Schupp, Don
<Don.Schupp@epa.gov> **Ex. 4 - CBI**
Subject: Fwd: WaterGen T&E Questions

Can either of you touch base with Jay Garland in my absence? Thanks.

Sent from my iPhone

Begin forwarded message:

From: "Goodrich, James" <Goodrich.James@epa.gov>
Date: November 21, 2017 at 10:05:51 AM EST
To: "Garland, Jay" <Garland.Jay@epa.gov>
Cc: "Weber, Josh" <Weber.Josh@epa.gov>, "radha.krishnan@epa.gov" **Ex. 4 - CBI**
<Radha.Krishnan@epa.gov> **Ex. 4 - CBI**, "Ernst, Hiba" <Ernst.Hiba@epa.gov>
Subject: WaterGen T&E Questions

Hi Jay,

For electrical and other HVAC issues I would refer you to Radha. Gary Lubbers on his staff should be able to handle such questions. In regards to humidity control,

Ex. 4 - CBI

Ex. 4 - CBI

Jim

~~~~~  
*James A. Goodrich, Ph.D.*

Sr. Science Advisor

Water Infrastructure Protection Division

USEPA/ORD/NHSRC

NB-31

26 W. Martin Luther King Drive

Cincinnati, Ohio 45268

(513) 569-7605 (office)

(513) 658-1055 (cell)

<http://www.epa.gov/homeland-security-research>